


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - [Recent articles](#) Results 1 - 100 of about 112 for paravirtualized native. (0.19 seconds)

The impact of paravirtualized memory hierarchy on linear algebra computational kernels and software

L Youseff, K Seymour, H You, J Dongarra, R Wolski - Proceedings of the 17th international symposium on High ..., 2008 - portal.acm.org

... by ATLAS are conveniently logged making it possible to use them to detect specific per- formance differences between native and paravirtualized exe- cution. ...

[Web Search](#)

Maestro-VC: A Paravirtualized Execution Environment for Secure On-Demand Cluster Computing - all 5 versions »

N Kiyandlar, GA Koenig, W Yurcik - Proceedings of the Sixth IEEE International Symposium on ..., 2006 - doi.ieeecomputersociety.org

Maestro-VC: A Paravirtualized Execution Environment for Secure ... the same time, inserting a layer of soft- ware between a virtual cluster and native hardware al ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

vBlades: Optimized Paravirtualization for the Itanium Processor Family - all 3 versions »

DJ Magenheimer, TW Christian - usenix.org

... code. 6. One paravirtualized operating system image must be capable of running either native or as a guest under the VMM. The HP ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

Xen on ARM: System Virtualization Using Xen Hypervisor for ARM-Based Secure Mobile Phones

JY Hwang, SB Suh, SK Heo, CJ Park, JM Ryu, SY Park ... - Consumer Communications and Networking Conference, 2008. ..., 2008 - ieeexplore.ieee.org

... system operations. Paravirtualized Linux is compared with native Linux running on bare metal H/W without VMM. Direct performance ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Operating System Virtualization to support E-learning with Affective Intelligent Tutoring Systems

C Messom, A Sarrafzadeh, A Gerdelen, M Johnson, J ... - Innovations in Information Technology, 4th International ..., 2007 - ieeexplore.ieee.org

Page 1. Operating System Virtualization to support E-learning with Affective Intelligent Tutoring Systems Chris Messom, Abdolhossein ...

[Related Articles](#) - [Web Search](#)

VMM-independent graphics acceleration - all 12 versions »

HA Lagar-Cavilla, N Tolia, M Satyanarayanan, E de ... - Proceedings of the 3rd international conference on Virtual ..., 2007 - portal.acm.org

... 4.3 Performance Figure 3 shows the results from running the benchmarks un- der three configurations, native, Xen paravirtualized guest with VMGL, and Xen ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[PDF] VMI: An Interface for Paravirtualization

Z Arnsden, D Arai, D Hecht, A Holler, P ... - Linux Symposium - linuxsymposium.org

... It should be noted that a transparently paravirtualized kernel must sup- port the native boot sequence, so our imple- mentation does not attempt to change that ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

VT-ASOS: Holistic system software customization for many cores

E Courses, T Surveys - Parallel and Distributed Processing, 2008. IPDPS 2008. IEEE ..., 2008 - [ieeexplore.ieee.org](#)
 ... the same socket. In the experiments, we used Linux 2.6.18 in native mode
 and in paravirtualized mode as a guest OS. We used Xen ...

[Web Search](#)

[PDF] A Hypervisor for Embedded Computing

P Reames, E Chan, F David, J Carlyle, R Campbell - [academic.ec.uiuc.edu](#)
 ... The L4 group has also published a paper on pre-virtualization - a technique that
 allows a paravirtualized guest to run on native or virtual hardware. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Optimizing Network Virtualization in Xen - all 4 versions »

A Menon, AL Cox, W Zwaenepoel - Proc. USENIX Annual Technical Conference (USENIX 2006), 2006 - [usenix.org](#)
 ... 2.2.17 running on VMware Workstation 2.0 was 5 to 6 times higher compared to the
 utilization under native Linux 2.2.17. Even in the paravirtualized Xen 2.0 VMM ...

[Cited by 40](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

The Squeeze

R Baker - Columbia Journalism Review, 1997 - [novell.com](#)
 ... native architectures. While a fully virtualized operating system has to "trap" informa-
 tion from the executing instruction stream, a paravirtualized ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PDF] VMware and CPU Virtualization Technology - all 2 versions »

J Lo - [repton.co.uk](#)
 ... unsuitable for enterprise use Relies on separate kernel for native and in virtual
 machine ... paravirtualized virtual machine: "transparent paravirtualization" ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Rethinking the Design of Virtual Machine Monitors - all 7 versions »

A Whitaker, RS Cox, M Shaw, SD Gribble - 2005 - [doi.ieeecomputersociety.org](#)
 ... These new hardware components can differ dramatically from native devices. ... Figure
 1 compares a paravirtualized VMM to other system architectures. ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#)

[PS] Reusing I/O-Kit Device Drivers on L4 - all 2 versions »

KT Miller - [i30www.ibds.uka.de](#)
 ... The paravirtualization technique has only minor drawbacks on system performance:
 The authors compare native Linux and paravirtualized Linux and report 3 to 8 ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] Reusing I/O-Kit Device Drivers on L4

B Dialogsysteme, L Systemarchitektur - [i30www.ira.uka.de](#)
 ... The paravirtualization technique has only minor drawbacks on system performance:
 The authors compare native Linux and paravirtualized Linux and report 3 to 8 ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] Virtualization: A double-edged sword - all 3 versions »

JJ Wlodarz - Arxiv preprint [arXiv:0705.2786](#), 2007 - [arxiv.org](#)
 ... On the other hand, paravirtualized operating systems could perform even better than
 their native versions running directly on the host hardware, because the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] The Ongoing Evolution of Xen](#)

I Pratt, D Magenheimer, H Blanchard, J Xenidis, J ... - Linux Symposium - linuxsymposium.org

... near-native performance and it is important to demonstrate that these techniques apply to other architectures. Much effort was put into a paravirtualized ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[A Comparison of Virtualization Technologies for HPC](#)E Courses, T Surveys - Advanced Information Networking and Applications, 2008. AINA ..., 2008 - [ieeexplore.ieee.org](#)

... The disadvantage, however, is the need to modify the paravirtualized virtual machine/operating ... This typically results in system performance of near-native speeds ...

[Related Articles](#) - [Web Search](#)[A Comparison of Virtualization Technologies for HPC](#)JP Walters, V Chaudhary, M Cha, S Guercio Jr, S ... - [doi.ieeecomputersociety.org](#)

... The disadvantage, however, is the need to modify the paravirtualized virtual machine/operating ... This typically results in system performance of near-native speeds ...

[Related Articles](#) - [Web Search](#)[\[PDF\] Concurrent direct network access for virtual machine monitors - all 6 versions »](#)P Willmann, J Shafer, D Carr, A Menon, S Rixner, ... - Proceedings of the International Symposium on High- ..., 2007 - [infoscience.epfl.ch](#)

... Table 1. Transmit and receive performance for native Linux 2.6.16.29 and paravirtualized Linux 2.6.16.29 as a guest OS within Xen 3. ...

[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[\[PDF\] Rethinking the Design of Virtual Machine Monitors](#)S Richard, D Steven - [cs.washington.edu](#)

... These new hard-ware components can differ dramatically from native devices. ... (c)

A paravirtualized VMM exposes a modified hardware architecture. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)[Unmodified Device Driver Reuse and Improved System Dependability via Virtual Machines - all 20 versions »](#)J LeVasseur, V Uhlig, J Stoess, S Gotz - [unix.org](#)

... in their architectures: the baseline uses its native device driver environment, while our system uses the driver reuse environment and is paravirtualized. ...

[Cited by 72](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)[Xen and the art of virtualization - all 84 versions »](#)P Barham, B Dragovic, K Fraser, S Hand, T Harris, ... - Proceedings of the nineteenth ACM symposium on Operating ..., 2003 - [portal.acm.org](#)

... performance. Note that our paravirtualized x86 abstraction is quite different from that proposed by the recent Denali project [44]. ...

[Cited by 882](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Getting 10 Gb/s from Xen: Safe and Fast Device Access from Unprivileged Domains](#)

K Mansley, G Law, D Riddoch, G Barzini, N Turton, ... - Springer

... compared with other virtualization technologies, yet its performance is well below that of native operating systems [3, 4 ... 2.1 Xen Paravirtualized Network I/O ...

[Related Articles](#) - [Web Search](#)[\[PDF\] A Survey of Virtualization Techniques Focusing on Secure On-Demand Cluster Computing - all 7 versions »](#)N Kiyancilar - Arxiv preprint [cs.OS/0511010](#), 2005 - [arxiv.org](#)

... run in user processor mode both under a VMM and on native hardware. ... monitor [10]

interacts with its guest OS instances via a paravirtualized architecture very ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [New Approach to Virtualization Is a Lightweight](#) - all 11 versions »

SJ Vaughan-Nichols - IEEE Comput, 2006 - boole.computer.org

... to the native hardware and thereby lets users run non-native applications on ... In other words, the paravirtualized hypervisor lets the virtual OS make calls ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[VPFS: building a virtual private file system with a small trusted computing base](#)

C Weinhold, H Härtig - Proceedings of the 3rd ACM SIGOPS/EuroSys European ..., 2008 - portal.acm.org

Page 1. VPFS: Building a Virtual Private File System with a Small Trusted

Computing Base Carsten Weinhold weinhold@os.inf.tu-dresden.de ...

[Related Articles](#) - [Web Search](#)

[PDF] [Towards Automatic Management and Live Migration of Virtual Machines](#)

I Mevåg - Master's thesis, University of Oslo, Oslo University College ..., 2007 - svn.iu.hio.no

... The motivation for research in this field today is increasing dramatically as more hardware is developed with built in native virtualization support and more ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PTLsim: A Cycle Accurate Full System x86-64 Microarchitectural Simulator](#) - all 3 versions »

MT Yourst - Proceedings of ISPASS, 2007 - doi.ieeecomputersociety.org

... s "paravirtualized" mode, the guest OS runs on an architecture nearly identical to x86 or x86-64, but a few small changes critical to preserving native ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

[FoxyTechnique: tricking operating system policies with a virtual machine monitor](#) - all 2 versions »

H Yamada, K Kono - Proceedings of the 3rd international conference on Virtual ..., 2007 - portal.acm.org

... Xen provides a paravirtualized [27] processor interface, which reduces the virtualization ... for Linux TCP Vegas running on physical hardware (Native Vegas) and ...

[Related Articles](#) - [Web Search](#)

[A sledgehammer approach to reuse of legacy device drivers](#) - all 9 versions »

J LeVasseur, V Uhlig - Proceedings of the 11th workshop on ACM SIGOPS European ..., 2004 - portal.acm.org

... measured the throughput of the TTCP benchmark executing in a paravirtualized Linux, and ... 2.8GHz Pentium 4, and compared to the performance of native Linux on ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

[PDF] [Supporting Higher-Order Virtualization](#) - all 3 versions »

J Singer, C Kirkham, I Watson - cs.man.ac.uk

... OSs that are to be paravirtualized require source code changes to hook into the ... executes bytecode programs from 10 to 1000 times slower than native code [EGKP02 ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Blink: 3d display multiplexing for virtualized applications](#) - all 7 versions »

JG Hansen - cafeen.nat.ku.dk

... How to provide an isolated VM with native-speed access. Blink is targeted at paravirtualized VM's—it supplies virtualized applications with an OpenGL-like ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [A Multiple Dimension Slotting Approach for Virtualized Resource Management](#)

F Rodríguez, F Freitag, L Navarro - csm.ornl.gov

... investigate the efficiency of HPC applications in paravirtualized nodes ... is to incorporate information exchange between virtualized and native environments to ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Paravirtualization for HPC Systems - all 4 versions »](#)

L Youseff, R Wolski, B Gorda, C Krintz - ISPA Workshops - Springer

... sound methods to compare the performance of a paravirtualized kernel against ... load balancing, OS-level check-pointing and recovery, non-native (cross-system ...

Cited by 13 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Virtual Machine Security Guidelines Version 1.0 - all 2 versions »](#)

WBB Consulting - ciscsecurity.org

... Device interaction in paravirtualized environments also relies on native device drivers operating in a host kernel. Representations ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[XenLoop: a transparent high performance inter-vm network loopback](#)

J Wang, KL Wright, K Gopalan - Proceedings of the 17th international symposium on High ..., 2008 - portal.acm.org

... We deployed Xen 3.2.0 for the hypervisor and paravirtualized Linux 2.6.18.8 for the ... cache and 4GB main memory, was also used to measure the native machine-to ...

[Web Search](#)

[\[PDF\] Xen and the Art of Open Source Virtualization - all 3 versions »](#)

K Fraser, S Hand, C Limpach, I Pratt, D ... - Linux Symposium - landley.net

... The paravirtualized x86 interface can be factored into three broad aspects of the system: memory management, the CPU, and device I/O. In the following we ...

Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Dynamic Virtual Clustering with Xen and Moab](#)

W Emenecker, D Jackson, J Butikofer, D Stanzione - Proceedings of ISPA Workshops: Workshop on Xen in HPC ..., 2006 - Springer

... native cluster performance is examined for workloads consisting of both serial and MPI ... requires the OS to be ported to the paravirtualized interface, which for ...

Cited by 8 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Deploying Virtual Machines as Sandboxes for the Grid - all 7 versions »](#)

S Santhanam, P Elango, A Arpaci-Dusseau, M Livny - Second Workshop on Real, Large Distributed Systems (WORLDS ..., 2005 - usenix.org

... full virtualization, has been proven to have near-native Linux performance with ... that supports full virtualization, while we use a paravirtualized monitor which ...

Cited by 17 - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Lightweight Shadow Paging for Efficient Memory Isolation in Gandalf VMM](#)

M Ito, S Oikawa - ieeeexplore.ieee.org

... We also measured the costs of native Linux and Xen, and compared them with that of Gandalf. ... The results are normalized by those of native Linux. ...

[Web Search](#)

[Bridging the Gap between Software and Hardware Techniques for I/O Virtualization](#)

JR Santos, Y Turner, GJ Janakiraman, I Pratt - usenix.org

... and memory resources have very low overhead leading to near native performance [29 ... In this approach, the guest OS executes a paravirtualized (PV) driver that ...

[Cached](#) - [Web Search](#)

[\[PDF\] Virtual Doppelganger: On the Performance, Isolation, and Scalability of Para-and Paene-Virtualized ... - all 2 versions »](#)

S Soltesz, ME Fluczynski, L Peterson, M McCabe, J ... - Submitted to Eurosys, 2006 - cs.princeton.edu
 ... below attacks, undercutting a previously established reason for using paravirtualized systems. ... Guest OSs (typi- cally dom0) can use their native device drivers ...
[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Execution replay of multiprocessor virtual machines - all 3 versions »](#)

GW Dunlap, DG Lucchetti, MA Fetterman, PM Chen - Proceedings of the fourth ACM SIGPLAN/SIGOPS international ..., 2008 - portal.acm.org
 ... sharing, we modified the Xen hypervisor[2]. Xen supports paravirtualized guests: that is ... rather than the hypervisor emulating the interface of native hardware. ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] Evaluating the Impact of Xen on the Performance of NAS Parallel Benchmarks](#)

L Youseff, R Wolski, B Gorda, C Krintz - The Second Annual Graduate Student Workshop on Computing - gswc.cs.ucsb.edu
 ... sound methods to compare the perfor- mance of a paravirtualized kernel against ... distributed load balancing, OS-level check-pointing, non-native (cross-system ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Evaluating the Performance Impact of Xen on MPI and Process Execution For HPC Systems - all 6 versions »](#)

L Youseff, R Wolski, B Gorda, C Krintz - Proc. of International Workshop on Virtualization ..., 2006 - ece.uvic.ca
 ... efficiently. Paravirtualized systems thus, have the potential for improved scalability and perfor- mance over prior VMM implementations. ...
[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Optimizing Network Virtualization in Xen - all 5 versions »](#)

S EPFL - usenix.org
 ... architecture [5]. Privileged domains, called 'driver' domains, use their native de- vice ... use virtual I/O de- vices controlled by paravirtualized drivers to ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Performance of Xen's Secured Virtual Networks - all 2 versions »](#)

E Cesena, PC Pomi, G Ramunno, D Vernizzi - polito.it.pgp.net
 ... 6]. Paravirtualized VMs need a modified operating system kernel, but using this technique it is possible to achieve performances close to native ones. ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] MagiXen: Combining Binary Translation and Virtualization - all 2 versions »](#)

M Chapman, DJ Magenheimer, P Ranganathan - hpl.hp.com
 ... Domain 0 (native) MagiXen Domain Figure 2: MagiXen architecture kernel that has been paravirtualized for Xen, rather than an unmodified stock kernel compiled ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Remote Detection of Virtual Machine Monitors with Fuzzy Benchmarking - all 2 versions »](#)

J Franklin, M Luk, JM McCune, A Seshadri, A Perrig ... - Journal of Computer Security (Special Issue on Security of ..., 2007 - sparrow.ece.cmu.edu
 ... 4 Page 5. Vanilla Linux VMWare Workstation Paravirtualized Xen 3.0.2 SVM Xen 3.0.2 Local Router Local Verifier Remote Verifier Internet ...
[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Symerton--using virtualization to accelerate packet processing - all 2 versions »](#)

AR Kunze, SD Goglin, EJ Johnson - Proceedings of the 2006 ACM/IEEE symposium on Architecture ..., 2006 - portal.acm.org
 ... of guest operating systems when compared to running the guests on native hardware. ...

For the general purpose OS, we used the paravirtualized Linux that Xen calls ...

[Related Articles](#) - [Web Search](#)

[PDF] [PTLsim User's Guide and Reference - all 3 versions »](#)

S Microprocessor - [ptlsim.org](#)

... models a modern superscalar out of order x86-64 com- patible processor core at a configurable level of detail ranging from full-speed native execution on the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[The Laundromat Model for Autonomic Cluster Computing - all 4 versions »](#)

JG Hansen, E Christiansen, E Jul - [Proceedings of 3rd IEEE International Conference on ...](#), 2006 - [doi.ieeecomputersociety.org](#)

Page 1. 130 The Laundromat Model for Autonomic Cluster Computing Jacob Gorm Hansen DIKU, Univ. of Copenhagen Eske Christiansen DIKU, Univ. of Copenhagen ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Hype and virtue - all 7 versions »](#)

T Roscoe, K Elphinstone, G Heiser - [11th HotOS - unix.org](#)

... OS interface (POSIX or Win32) a second: paravirtualized PC hardware at ... A research operating system project can demonstrate good native device performance by ...

[Cited by 3](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[PDF] [Efficient Hardware/Software Architectures for Highly Concurrent Network Servers by Paul Willmann A ...](#)

B Aazhang - 2007 - [www-ece.rice.edu](#)

... 3 1.3 Network I/O throughput disparity between native Linux and virtual- ized Linux, using six 1-Gigabit Ethernet interfaces. Native Virtualized ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Guest Editors' Introduction: Resource Virtualization Renaissance - all 8 versions »](#)

R Figueiredo, PA Dinda, J Fortes - [Computer](#), 2005 - [ieeexplore.ieee.org](#)

... open source virtual servers (VServer, User- mode Linux) and paravirtualized VMs (Xen ... translation creeping ever closer to the performance of native code, there ...

[Cited by 35](#) - [Related Articles](#) - [Web Search](#)

[iKernel: Isolating Buggy and Malicious Device Drivers Using Hardware Virtualization Support - all 5 versions »](#)

L Tan, EM Chan, R Farivar, N Mallick, JC Carlyle, ... - [Proceedings of the Third IEEE International Symposium on ...](#), 2007 - [doi.ieeecomputersociety.org](#)

... this technique is not perfect, since the drivers for a guest OS in a paravirtualized system may have ... [14], in which the device driver hosted on its native OS di ...

[Related Articles](#) - [Web Search](#)

[PDF] [サーバー仮想化—古くて新しい技術について—](#)

井本貴之 - [imotos.net](#)

Page 1. Copyright©MMVI by IMOTO Takashi, Tokyo, Japan. 1 サーバー仮想化—古くて新しい技術について—...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Scalability, fidelity, and containment in the potemkin virtual honeyfarm - all 25 versions »](#)

M Vrabie, J Ma, J Chen, D Moore, E Vandekieft, AC ... - [ACM SIGOPS Operating Systems Review](#), 2005 - [portal.acm.org](#)

... these transac- tions it is impossible to understand the native behavior of a ... In its current form, it only supports paravirtualized hosts — requiring source ...

[Cited by 78](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Towards Sound Detection of Virtual Machines](#) - all 2 versions »

J Franklin, M Luk, JM McCune, A Seshadri, A Perrig ... - in *Botnet Detection*, Springer, 2007 - Springer
... Paravirtualized VMMs have the drawback that operating systems must be modified to run on them; however, they enable efficient virtualization to be performed ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Interactive Resource-Intensive Applications Made Easy](#) - all 4 versions »

HA Lagar-Cavilla, N Tolia, E DE Lara, M ... - *Proceedings of Middleware, 2007* - Springer
... agent was no more complex or time-consuming than installing it on a native machine. ...
between US and Europe, as shown in Table 1. We use a paravirtualized 2.6.12 ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Transparent system-level migration of PGAS applications using Xen on Infiniband](#) - all 2 versions »

DP Scarpazza, P Mullaney, O Villa, F Petrini, V ... - *Proceedings of the IEEE International Conference on Cluster ...*, 2007 - domino.research.ibm.com

... dom0 mthca native driver ... This is in contrast to traditional device emulation or fully paravirtualized ap- proaches where more software state can be preserved. ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Hardware Virtualization Trends](#) - all 5 versions »

L van Doorn - [usenix.org](#)

... features such as Thread Local Storage are hard to do in a paravirtualized environment ...
But performance is just not good enough to get rid of all native devices. ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Context Switch Overheads for Linux on ARM Platforms](#) - all 7 versions »

FM David, JC Carlyle, RH Campbell - Urbana - [usenix.org](#)

... for FASS hardware extensions, the paravirtualized implementation of Linux on L4 has significantly lower context switching overheads than native Linux without ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Resource Virtualization Renaissance](#)

DL Campus, P Releases - [computer.org](#)

... open source virtual servers (VServer, Usermode Linux) and paravirtualized VMs (Xen ...
or translation creeping ever closer to the performance of native code, there ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[\[PDF\] Detecting the Presence of a VMM through Side-Effect Analysis 15-712 Project Final Report](#) - all 2 versions »

J Franklin, M Luk, JM McCune - *Selected Project Reports, Fall 2005 Advanced OS & ...* - [reports-archive.adm.cs.cmu.edu](#)
... Paravirtualized VMMs have the drawback that operating systems must be modified to run on them ... not be able to execute the detection code as fast as native Linux. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[BOOK\] Concept for System Virtualization in the Field of High Availability Computing](#) - all 2 versions »

S Winter - 2007 - [books.google.com](#)

... concepts of server virtualization especially in para- and native virtualization ... lot of ongoing process to make Windows work in a paravirtualized environment (by ...

[Web Search](#)

[\[PDF\] Resizing Memory With Balloons and Hotplug](#)

JH Schopp, K Fraser, MJ Silbermann - Proceedings of the Linux Symposium, 2006 - linuxsymposium.org
 ... XenBus provides a bus abstraction for paravirtualized drivers to communicate between ... advantage to be able to directly use the native memory management ...
[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Paravirtualization For HPC Systems UCSB Computer Science Technical Report Number 2006-10 - all 2 versions »](#)
 L Youseff, R Wolski, B Gorda, C Krintz - cs.ucsb.edu
 ... statistically sound methods to compare the performance of a paravirtualized kernel against ... OS-level check-pointing and recovery, non-native (cross-system ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [On the Performance of the Solaris Operating System under the Xen Security-enabled Hypervisor - all 4 versions »](#)
 A Bavelski - diva-portal.org
 ... As mentioned above, complete native virtualization is not possible in most of ... Irix operating system to use this paravirtualized version of the MIPS architecture ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Resource Virtualization Renaissance - all 2 versions »](#)
 A Peter, J Fortes - computer.org
 ... open source virtual servers (VServer, User-mode Linux) and paravirtualized VMs (Xen ... translation creeping ever closer to the performance of native code, there ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Container-based operating system virtualization: a scalable, high-performance alternative to ... - all 4 versions »](#)
 S Soltesz, H Pötzi, ME Fluczynski, A Bavier, L ... - Proceedings of the 2007 conference on EuroSys, 2007 - portal.acm.org
 ... i32 architecture is about 80K lines of code, the paravirtualized variants ... However, it was a deliberate design decision to achieve native Linux networking ...
[Cited by 26](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PDF] [The Open Source Virtual Lab: a Case Study - all 4 versions »](#)
 E Damiani, F Fratì, D Rebecani - FOSLET 2006 - elearninglab.org
 ... architecture. Its paravirtualized virtual machine monitor or hypervisor permits to achieve performance close to native hardware. More ...
[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Optimizing TCP Receive Performance](#)
 A Menon, W Zwaenepoel - USENIX Annual Technical Conference, 2008 - unix.org
 ... shows the breakdown of TCP receive processing overhead in a native Linux system ... the physical NIC through a pair of backend-frontend paravirtualized drivers, and ...
[Cited by 1](#) - [Cached](#) - [Web Search](#)

[PDF] [Migrating User Mode Linux to Xen and Kernel Based Virtual Machines](#)
 A Lambeck - basicsedv.de
 ... better performance than a hardware-based VMM. The latter runs near native performance when compared to kernel. In this text, paravirtualized guests are used. ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Hosting Virtual Networks on Commodity Hardware](#)
 S Bhatia, M Motiwala, W Muhlbaier, V Valancius, A ... - www.feldmann.in.tum.de
 ... translate instructions that potentially interact with the native hardware (though ... Typically, fully virtualized and paravirtualized systems can provide better ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

[Spirits: Using Virtualization and Pervasiveness to Manage Mobile Robot Software Systems](#)

H Raj, B Seshasayee, KJ O'Hara, R Nathuji, K ... - LECTURE NOTES IN COMPUTER SCIENCE, 2006 - Springer
... performance, higher operating costs and difficulty in accessing native resources
such as ... We configured VMs with 32MB RAM, running paravirtualized 2.6.12 linux ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Measuring and Modeling the Performance of the Xen VMM - all 3 versions »](#)

J Lu, L Makhlis, J Chen - CMG-CONFERENCE-, 2006 - daschmelzer.com
... Privileged instructions are paravirtualized by requiring them to be validated
and executed within Xen. ... Native Device Drivers GuestOS (XenLinux) ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[DieCast: Testing Distributed Systems with an Accurate Scale Model - all 4 versions »](#)

D Gupta, K Vishwanath, A Vahdat - unix.org
... be run on physical machines directly (for the paravirtualized setup, we do ... operating
systems and hardware will increasingly support native virtualization, we ...

[Cited by 2](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Learning Computer Networking on Open Paravirtual Laboratories - all 3 versions »](#)

M Anisetti, V Bellandi, A Colombo, M Cremonini, E ... - Education, IEEE Transactions on, 2007 - ieeexplore.ieee.org
... gest that open source virtual laboratories are a valid alter- native to real ... guest
operating system to be modified to run in the paravirtualized envi- ronment ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Optimizing TCP Receive Performance](#)

S EPFL - infoscience.epfl.ch
... the breakdown of TCP receive pro- cessing overhead in a native Linux system ... to the
physical NIC through a pair of backend-frontend paravirtualized drivers, and ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] Energy Accounting for Virtual Machines](#)

B Dialogsysteme, L Systemarchitektur - i30www.ibds.uka.de
... Alternatively, we install paravirtualized device drivers within the guest ... to full
virtualization, paravirtualization offers performance close to native hardware ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] kvm: the Linux Virtual Machine Monitor - all 2 versions »](#)

A Kivity, Y Kamay, D Laor, U Lublin, A Liguori - Linux Symposium - linux-security.cn
... to that page will be emulated instead of proceeding at native speeds ... A common solution
is to introduce paravirtualized de- vices, or virtual "hardware" that ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] A Survey on Virtualization Technologies - all 2 versions »](#)

SNT Chiueh - ecsi.cs.sunysb.edu
... resources to physical resources and use the native hardware for ... The paravirtualized
architecture provides modified architectural features that makes the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] ViSe: A virtual security testbed](#)

M Richmond - 2005 - cs.ucsb.edu
... be handled virtually in order to translate them into the native instruction set ... For
example, Xen's "paravirtualized" layer is capable of handling up to ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[High performance and scalable I/O virtualization via self-virtualized devices - all 3 versions »](#)

H Raj, K Schwan - Proceedings of the 16th international symposium on High ..., 2007 - portal.acm.org

... does not compare favorably against the net- work performance in native systems

[25]. ... Dom0 runs a paravirtualized Linux 2.6.16 kernel with a Red- Hat Enterprise ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#)

[Automated detection of persistent kernel control-flow attacks - all 3 versions »](#)

NL Petroni Jr, M Hicks - Proceedings of the 14th ACM conference on Computer and ..., 2007 - portal.acm.org

Page 1. Automated Detection of Persistent Kernel Control-Flow Attacks Nick

L. Petroni, Jr. and Michael Hicks Department of Computer ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[CITATION] [A VIRTUALIZATION BASED SOLUTION FOR SECURE ON-DEMAND CLUSTER COMPUTING](#)

N KIYANCLAR

[Related Articles](#) - [Web Search](#)

[PDF] [Execution replay for intrusion analysis - all 2 versions »](#)

GW Dunlap III - 2006 - eecs.umich.edu

... uniprocessor paravirtualized virtual machine running on a Linux operating system. ... range of native applications we can log and replay. ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Virtualization Technology](#)

NCVUM Using - Intel Technology Journal, 2006 - download.intel.com

Page 1. New Client Virtualization Usage Models Using Intel® Virtualization Technology

Intel® Virtualization Technology Intel® Technology Journal ...

[Related Articles](#) - [Web Search](#)

[New Client Virtualization Usage Models Using Intel® Virtualization Technology - all 2 versions »](#)

O Containment, A Integrity - Virtualization Technology, 2006 - download.intel.com

... Bridge Driver IO Devices IO Devices Figure 4: Client VMM architecture The services partition has been modified to be aware of virtualization (paravirtualized). ...

[Related Articles](#) - [Web Search](#)

[Protection Strategies for Direct Access to Virtualized I/O Devices](#)

P Willmann, S Rixner, AL Cox - USENIX Annual Technical Conference, 2008 - unix.org

... simple direct-map strategy incurs the least overhead, providing native-level

performance ... reuse for received packets is caused by the paravirtualized (PV) Linux ...

[Cited by 1](#) - [Cached](#) - [Web Search](#)

[PDF] [L 4 Linux Porting Optimizations - all 3 versions »](#)

A Lackorzynski - debian2.inf.tu-dresden.de

... L 4 Linux can also be seen as a paravirtualized system as it modifies ... On native Linux, interrupt work is always executed in the context of the interrupted user ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Remus: High Availability via Asynchronous Virtual Machine Replication](#)

B Cully, G Lefebvre, D Meyer, M Feeley, N ... - unix.org

... these modifications are not necessary in the case of non-paravirtualized VMs. ... as represented by SPECweb perform at somewhat more than one quarter native speed. ...

[Cited by 3](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[CITATION] [Kernel debugging with GDB](#)

N Mc Guire

[Web Search](#)

[PDF] [Security Considerations of Commodity x86 Virtualization](#)

S Vaarala - [samivaarala.com](#)

... A kind of virtualization where the guest OS is aware of virtualization, and is tailored for the paravirtualized environment. ... Hardware (Native) Operating System ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Failure Resilience for Device Drivers](#) - all 6 versions »

JN Herder, H Bos, B Gras, P Homburg, AS Tanenbaum - DSN'07 - [doi.ieeecomputersociety.org](#)

... isolation by running each driver in a dedicated, paravirtualized operating system and ... and describe the recovery procedure as implemented by the native MINIX ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[PDF] [Index](#)

SVS Altiris, FQ Bellard - [training - media.wiley.com](#)

... data center space issues, 13–14, 33 energy costs, 14–15, 34, 101 hardware underutilization, 11–13, 33–37, 101 paravirtualized drivers, 312–314 system ...

[View as HTML](#) - [Web Search](#)

[PDF] [Reconstructing I](#) - all 7 versions »

K Fraser, S Hand, R Neugebauer, I Pratt, A ... - [leitl.org](#)

Page 1. Submitted to OSDI'04 Reconstructing I/O Keir Fraser, Steven Hand, Rolf Neugebauer, Ian Pratt, Andrew Warfield, Mark Williamson ...

[Cited by 24](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Automated Grid Population Using rBuilder](#)

S Gott, K VanDine, M Johnson - [wiki.rpath.com](#)

... In paravirtualized environments, the kernel running in the guest must be compatible with ... We would also like to produce grid-native target images, for example ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Key authors: [A Menon](#) - [J LeVasseur](#) - [D Magenheimer](#) - [A Cox](#) - [W Zwaenepoel](#)

Google ►

Result Page: 1 2 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google